

MATERIAL SAFETY DATA SHEET According to 1907/2006/EG

1.	CHEMICAL PRO	DOUCT AND COMPANY IDENTIFICATION	
1.1	Product name / Code:	TECHNOVIEW Dabigatran CAL Set (4 x 1 mL)	REF 5090210
		TECHNOVIEW Dabigatran Control High (5 x 1 mL)	REF 5090212
		TECHNOVIEW Dabigatran Control Low (5 x 1 mL)	REF 5090214
1.2.	Recommended use	For research use only	
1.3.	Manufacturer:	Technoclone GmbH	
		Brunner Str. 67	
		1230 Vienna	
		AUSTRIA	
		Tel. + 43 1 86373 - 0	
		Fax + 43 1 86373 - 44	
1.4	Emergency Email:	sales@technoclone.com	
1.5	Emergency Phone:	+43 1 86373 -10 (08:00 – 16:00 h)	
2.	HAZARDS IDEN	ITIFICATION	

2.1 Emergency overview:

No hazardous product according to 1907/2006/EG

3. COMPOSITION, INFORMATION ON INGREDIENTS

TECHNOVIEW Dabigatran Calibrator Set 5x1 mL REF 5090210 contains:

mL	Reagent
1	Calibrator 1 human plasma, freeze dried, supplemented with Dabigatran
	(CAL 2 at ~ 50 ng/mL)
1	Calibrator 2 human plasma, freeze dried, supplemented with Dabigatran
	(CAL 3 at ~ 210 ng/mL)
1	Calibrator 3 human plasma, freeze dried, supplemented with Dabigatran
	(CAL 4 at ~ 400 ng/mL)
1	Calibrator 4 human plasma, freeze dried, supplemented with Dabigatran
	(CAL 5 at ~ 500 ng/mL)

TECHNOVIEW Dabigatran Control High 5x1 mL REF 5090212 containing 5 vials:

mL	Reagent
	Control High human plasma, freeze dried, supplemented with Dabigatran (CONT H at ~ 300 ng/mL)

TECHNOVIEW Dabigatran Control Low 5x1 mL REF 5090214 containing 5 vials:

mL	Reagent
	Control Low human plasma, freeze dried, supplemented with Dabigatran (CONT L at ~ 130 ng/mL)

4. FIRST AID MEASURES

4.1GeneralMiscible with water4.2Eyes:Flush eyes with water, if persistent irritation
occurs, seek medical advice4.3Skin contact:Wash with water, and wipe with skin
disinfectant4.4Ingestion:Drink water, seek medical advice





MATERIAL SAFETY DATA SHEET According to 1907/2006/EG

FIRE-FIGHTING MEASURES 5.

- 5.1 Extinguishing media:
- 5.2 Flammable properties:

No limitation Not combustible

ACCIDENTAL RELEASE MEASURES 6.

- 6.1 Personal precautions:
- 6.2 Cleanup procedures:

Wear gloves, avoid substance contact Take up dry and discard according to the rules for biological material

The usual precautionary measures are to be adhered to when handling biological material.

7. HANDLING AND STORAGE

- 7.1 Handling precautions:
- 7.2 Storage:

No special precautions Store at +2 - 8 °C

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

- 8.1 General protective and hygienic measures:
- 8.2 Eye protection:
- Protection of hands: 8.3

Eye protection is recommended. The glove material has to be impermeable and resistant to the product/the substance/the preparation. Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application Penetration time of glove material: The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. 8.4 Ventilation: No particular ventilation requirements. Protective clothing is not necessary. 8.5 Protective clothing:

PHYSICAL AND CHEMICAL PROPERTIES 9.

9.1	Appearance:	Solid
9.2	Colour:	Colourless
9.3	Odour:	Oodourless
9.4	Solubility:	Miscible with water
9.5	Viscosity:	No data available
9.6	pH-value:	No data available





MATERIAL SAFETY DATA SHEET According to 1907/2006/EG

10. STABILITY AND REACTIVITY

- 10.1 Hazardous reactions:
- 10.2 Hazardous decomposition products:

None known if handled correctly None

11. TOXICOLOGICAL INFORMATION

- 11.1 Acute toxicity:
- 11.2 Skin effects:
- 11.3 Eye effects:
- 11.4 Further toxicological information:

Not known Not known Not known No cases of intoxication known so far.

Human Plasma used for production of control plasma is derived exclusively from donors who have been tested negative for antibodies against HIV, HCV and HBs antigen using approved test procedures. Nevertheless human plasma should be considered as potentially infectious and handled with care.

12. ECOLOGICAL INFORMATION

12.1 Summary:

This product is readily miscible with water, rapidly degraded and biodegradable.

13. DISPOSAL CONSIDERATIONS

13.1 General information:

Disposal should be made in accordance with existing local disposal practices for biological material.

14. TRANSPORT INFORMATION

14.1 General information:

Not subject to transport regulations Fragile containers, handle with care

15. **REGULATORY INFORMATION**

15.1 Safety rules:

Not subject to regulation under the European community Directive 93/21/EEC about transport and labeling dangerous substances.

16. OTHER INFORMATION

This Safety Data Sheet complies with the European Community Directive 1907/2006/EG.

All information and instructions provided in this Safety Data Sheet are based on the current state of scientific and technical knowledge at the date indicated on this Safety Data Sheet. Technoclone GmbH shall not be held responsible for any defect in the product covered by this Safety Data Sheet, should the existence of such a defect not be detectable considering the current state of scientific and technical knowledge.

It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

